aley MUNICIPAL WATER DISTRICT

The meeting teleconference will begin shortly

Listen to the meeting by using your computer or tablet speakers or by calling (877) 853 5247 using meeting ID 753 841 573

View the live meeting presentation at https://sbvmwd.zoom.us/j/753841573

PASSCODE: 3802020

Public comments, suggestions or questions regarding technical issues may be emailed to comments@sbvmwd.com



Please use the chat feature in the Zoom toolbar to let the moderator know that you would like to make a comment during the meeting or use the digital "raise hand" b function in Zoom.



Please mute your microphone during the meeting to reduce background noise. Click on the microphone icon to unmute your microphone if needed.



NOTICE REGARDING (COVID-19)

Before we begin, the record will reflect that pursuant to the provisions of Executive Order N-29-20 issued by Governor Gavin Newsom on March 19, 2020, this meeting will be conducted by teleconference only.



Call to Order

Board of Directors Workshop - Engineering Thursday, September 14, 2021

Chairperson — Director Harrison Vice-Chair — Director Hayes



Introductions

Following the introduction of Directors and District staff, participants may use this time to state their name and agency/affiliation in order to be included in the formal record of attendees.



Public Comment

Any person may address the Board on matters within its jurisdiction.

• Please use the chat feature on the Zoom toolbar or digitally raise your hand to let the moderator know you would like to make a comment.



Summary of Previous Meeting (Pg. 3)

Board of Directors Workshop – Engineering – August 10, 2021




Discussion Item 4.1 (Pg. 11)

Wen Huang, PE, MS – Deputy General Manager/Chief Engineer

Presentation on Parcels located in Non-Water-Bearing Zones within District Service Area

Staff Recommendation


Provide direction to Staff.







Number of Parcels located in Non-Water-Bearing Zones by Valley District division and retail agency boundaries


Division No.	Total No. of Parcels	No. of Parcels entirely within NWB zones	NWB Parcels within Water Agency service or sphere
1	32,185	8	WVWD – 5 N/A - 3
2	34,936	40	WVWD - 27 FWC – 5 Colton – 8
3	38,167	1,054	EVWD – 268 SBMWD – 597 Muscoy Mutual – 2 N/A – 187
4	39,042	193	Colton – 3 Riverside Highland – 99 N/A – 91
5	40,734	708	EVWD – 57 Redlands – 59 Western Heights – 67 YVWD – 414 N/A - 111
Total	185,064	2,003	
















Director Comments and Discussion



Paul Kielhold
President



June Hayes
Vice President



T. Milford Harrison Treasurer



Gil J. Botello
Director



Susan Longville
Director

Staff Recommendation

Provide direction to Staff.




Discussion Item 4.2 (Pg. 19)

Wen Huang, PE, MS – Deputy General Manager/Chief Engineer

Presentation - Parcels on Septic Systems within District Service Area

Staff Recommendation

Review the available information and provide direction to Staff.





Director Comments and Discussion



Paul Kielhold
President



June Hayes
Vice President



T. Milford Harrison Treasurer



Gil J. Botello
Director



Susan Longville
Director

Staff Recommendation

Review the available information and provide direction to Staff.



Discussion Item 4.3 (Pg. 22)

Bob Tincher, PE, MS – Deputy General Manager/Chief Water Resources Officer

Consider RAND Proposal to Evaluate the Ultimate Water Demand for the Valley District Service Area

Staff Recommendation

Direct staff to place this item on an upcoming Board of Directors meeting agenda for consideration.

Identifying Vulnerabilities in San Bernardino Valley Municipal Water District's Demand and Water Supply Plans


Michelle E. Miro, David Groves, David Catt, James Syme, Stephanie Tanverakul








An adaptable Reliability Factor of 15% relative to baseline demands would cover uncertainty in supply and demand




Results also showed that new supply projects may lead to surplus water supply when groundwater basins are full

Average excess water above volume needed for groundwater replenishment (SBBA)

The Valley
District could
explore options
that would
provide more
freeboard and
lower the amount
of excess water




New water supply projects lead to additional excess supply








Average Year






30 Year Drought



Will we really have surplus water?



Average Year





Proposed Evaluation of Ultimate Demand

I. Build on RAND's previous work

2. Evaluate Ultimate Demand

- Meet with retail water agencies and planners
- Compile ultimate buildout data
 - Work with local planners to validate data
- Estimate ultimate demand based upon the validated ultimate buildout data using IRUWMP method (as adjusted)
 - Current building codes and efficiency standards
 - Plausible building codes and efficiency standards
- Update RAND model that calculates the Reliability Factor to also calculate the ultimate demand based upon the changing conditions, over time
- Timeline: I year
- Valley District cost: \$100,000



Director Comments and Discussion



Paul Kielhold
President



June Hayes
Vice President



T. Milford Harrison Treasurer



Gil J. Botello
Director



Susan Longville
Director

Staff Recommendation

Direct staff to place this item on an upcoming Board of Directors meeting agenda for consideration.



Discussion Item 4.4 (Pg. 28)

Kristeen Farlow, MPA – Strategic Communications Manager

Discuss ACWA Committee Appointments and Region 9 Election

Staff Recommendation

Discuss the ACWA Committee appointment opportunities and consider which Committee(s), if any, the Directors are interested in serving on for the upcoming term. Discuss the ACWA Region 9 candidates and consider which candidates the Board may be interested in supporting. Direct staff to place the official vote for Region 9 candidates on the next Board Meeting for Board approval.



ACWA Committee Interest

- Agriculture
- Business Development
- Communications
- Energy
- Federal Affairs
- Finance
- Groundwater

- Legal Affairs
- Local Government
- Membership
- State Legislative
- Water Management
- Water Quality



Region 9 Election

SLATE RECOMMENDED BY NOMINATING COMMITTEE

Chair: Harvey R. Ryan, Elsinore Valley Municipal Water District

Vice Chair: G. Patrick O'Dowd, Salton Sea Authority

Board Members:

- Luis Cetina, Cucamonga Valley Water District
- Brenda Dennstedt, Western Municipal Water District
- Norma Sierra Galindo, Imperial Irrigation District
- Carol Lee Gonzales-Brady, Rancho California
 Water District
- ∘ James Morales, Jr., East Valley Water District

INDIVIDUAL CANDIDATE NOMINATIONS

Candidates for Chair:

- James Morales, Jr., East Valley Water District
- Harvey R. Ryan, Elsinore Valley Water District

Candidates for Vice Char:

oG. Patrick O'Dowd, Salton Sea Authority

Candidates for Board Members:

- Luis Cetina, Cucamonga Valley Water District
- Brenda Dennstedt, Western Municipal Water District
- Norma Sierra Galindo, Imperial Irrigation District
- Carol Lee Gonzales-Brady, Rancho California Water District
- James Morales, Jr., East Valley Water District
- G. Patrick O'Dowd, Salton Sea Authority
- Harvey R. Ryan, Elsinore Valley Water District



Director Comments and Discussion



Paul Kielhold
President



June Hayes
Vice President



T. Milford Harrison

Treasurer



Gil J. Botello
Director



Susan Longville
Director

Staff Recommendation

Discuss the ACWA Committee appointment opportunities and consider which Committee(s), if any, the Directors are interested in serving on for the upcoming term. Discuss the ACWA Region 9 candidates and consider which candidates the Board may be interested in supporting. Direct staff to place the official vote for Region 9 candidates on the next Board Meeting for Board approval.



Future Business



Adjournment